

App. No. 10/707,104
Amendment dated October 24, 2005
Reply to Office action of June 24, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the present application.

Listing of Claims:

Claim 1 (currently amended): A cooling fan motor comprising:
a rotor that includes a magnet;
an impeller blade unit that is fixed to the rotor;
a stator that is fixed to so as to face the rotor magnet;
a frame that retains the stator and forms an outer frame of the fan motor; and
a guard plate that covers an outer surface of the frame and is fixed to or
formed integrally with the frame, wherein the guard plate is provided with a mesh
grid formed by ribs extending in at least two directions, intersections of the ribs are
fixed to each other, each of the ribs has at least one inclined side of a cross section
that is perpendicular to the direction in which the rib extends, the inclined side is
substantially parallel to the direction of an airflow spirally that is generated at the
position of the rib due to the rotation of the impeller blade unit of the fan motor or is
inclined in the direction substantially along the airflow.

Claim 2 (original): The cooling fan motor according to claim 1, wherein each
cell of the mesh grid formed by ribs extending in at least two directions of the guard
plate of the fan motor is small enough so that at least a human finger cannot enter.

Claim 3 (currently amended): The cooling fan motor according to claim 1,
wherein the guard plate is formed by a plurality of rib groups extending linearly in two
directions that are substantially perpendicular to each other.

Claim 4 (original): The cooling fan motor according to claim 1, wherein the
guard plate is formed by a plurality of rib groups that are arranged substantially like

App. No. 10/707,104
Amendment dated October 24, 2005
Reply to Office action of June 24, 2005

concentric circles having a center point according to a rotation axis of the fan motor and a plurality of ribs that are substantially perpendicular to the concentric circles and extend radially from the rotation axis.

Claim 5 (currently amended): The cooling fan motor according to claim 1, wherein a shape of the cross section of the rib of the guard plate is a right triangle, and the inclined side thereof is substantially parallel to the direction of an airflow spirally that is generated at the position of the rib due to the rotation of the fan motor or is inclined in the direction substantially along the airflow.

Claim 6 (currently amended): The cooling fan motor according to claim 1, wherein a shape of the cross section of the rib of the guard plate is a rectangle, and two long sides of the rectangle are both parallel to the direction of an airflow spirally that is generated at the position of the rib due to the rotation of the fan motor or is inclined in the direction substantially along the airflow.

Claim 7 (currently amended): A case of an electronic or electric device having a cooling fan motor that includes a rotor having a magnet, an impeller blade unit that is fixed to the rotor, a stator that is fixed to at a location so as to face the rotor magnet, and includes a frame that retains the stator and forms an outer frame of the fan motor, the case comprising:

a guard plate that covers the outer frame of the cooling fan motor and is fixed to or formed integrally with the case, wherein the guard plate is provided with a mesh grid formed by ribs extending in at least two directions, intersections of the ribs are fixed to each other, each of the ribs has at least one inclined side of a cross section that is perpendicular to the direction in which the rib extends, the inclined side is substantially parallel to the direction of an airflow spirally that is generated at the position of the rib due to the rotation of the impeller blade unit of the fan motor or is inclined in the direction substantially along the airflow.

App. No. 10/707,104
Amendment dated October 24, 2005
Reply to Office action of June 24, 2005

Claim 8 (original): The cooling fan motor according to claim 7, wherein each cell of the mesh grid formed by ribs extending in at least two directions of the guard plate of the fan motor is small enough so that at least a human finger cannot enter.

Claim 9 (currently amended): The cooling fan motor according to claim 7, wherein the guard plate is formed by a plurality of rib groups extending linearly in two directions that are substantially perpendicular to each other.

Claim 10 (original): The cooling fan motor according to claim 7, wherein the guard plate is formed by a plurality of rib groups that are arranged substantially like concentric circles having a center point according to a rotation axis of the fan motor and a plurality of ribs that are substantially perpendicular to the concentric circles and extend radially from the rotation axis.

Claim 11 (currently amended): The cooling fan motor according to claim 7, wherein a shape of the cross section of the rib of the guard plate is a right triangle, and the inclined side thereof is substantially parallel to the direction of an airflow spirally that is generated at the position of the rib due to the rotation of the fan motor or is inclined in the direction substantially along the airflow.

Claim 12 (currently amended): The cooling fan motor according to claim 7, wherein a shape of the cross section of the rib of the guard plate is a rectangle, and two long sides of the rectangle are both parallel to the direction of an airflow spirally that is generated at the position of the rib due to the rotation of the fan motor or is inclined in the direction substantially along the airflow.

Claim 13 (currently amended): An electric device that includes a case and a cooling fan motor disposed at a predetermined position in the case,

App. No. 10/707,104
Amendment dated October 24, 2005
Reply to Office action of June 24, 2006

the cooling fan motor comprising a rotor that includes a magnet, an impeller blade unit that is fixed to the rotor, a stator that is fixed to so as to face the rotor magnet and a frame that retains the stator and forms an outer frame of the fan motor,

the case comprising a guard plate that covers the outer frame of the cooling fan motor and is fixed to or formed integrally with the case, wherein the guard plate is provided with a mesh grid formed by ribs extending in at least two directions, intersections of the ribs are fixed to each other, each of the ribs has at least one inclined side of a cross section that is perpendicular to the direction in which the rib extends, the inclined side is substantially parallel to the direction of an airflow spirally that is generated at the position of the rib due to the rotation of the impeller blade unit of the fan motor or is inclined in the direction along the airflow.